





## **HighPoint Web Based Installation Guide**

**STEP 1-** Launch “**DEDEMO V 5.0.2 06-30-2008.exe**” to install 30 day trial software.


This window should appear....



Select Next to go to next window See below.



Use C:\xampp (default) unless you understand the ramifications  
Note: read about “Xampp” at the end of this document.



Select Install


The 30 day trial software will install. After 30 days, a "nag" screen will appear when files are uploaded.

```
#####
# ApacheFriends XAMPP setup win32 Version 1.6
#####
# Copyright (c) 2002-2005 ApacheFriends
#####
# Authors: Kay Vogelgesang <kvo@apachefriends.org>
#          Carsten Wiedmann <webmaster@wiedmann-online.de>
#####
Configure for server 1.6.5
Configure XAMPP with awk for 'Windows_NT'
Please wait ...
Enable AcceptEx Winsocks v2 support for NT systems DONE!

##### Have fun with ApacheFriends XAMPP! #####


Configuring DEMO U 5.0.1... done.
Press any key to continue . . . _
```

Select any key to finish.




## STEP 2- Navigate to "xampp" folder (C:\xampp)

Launch "xampp-control.exe". This window should appear




Select Apache Start  
Select MySQL Start



If your screen does NOT look like above, go to Troubleshooting and reassign ports until Apache and MySQL are running.


**STEP 3-Launch Internet Explorer and enter <http://localhost:8000/>**  
(or use IP address or computer name)

**You should see a login screen.**



Enter user "Root", password "Root" Later, you may change logins, etc.

You should see a **Create your first Web Project**



Enter **Document Repository** as your web group name.....select Save

(You should be at the "Add New Member" screen)

#### **STEP 4- Select Library option. (double click)**

\*Right Click on "Shared Drive".....add a new folder

\*Enter folder name.....(e.g. Invoices)....drag administrators to Create Folder Read/Write...select save

\*Right click on the new folder and upload some test documents.

\*Right click on file to see available options....

Download **Getting Started** guide for more instructions.

#### **XAMPP Troubleshooting:**

##### **To change default Apache port:**

**1) Using Notepad, Wordpad (or any text editor) navigate and open file : xampp\apache\conf\httpd.conf**

Change line 53 Listen:80 to **Listen: 6060** (or another desired port), line 504 add a "#" to beginning of line resulting in **#include conf/extra/httpd-**

**httpd.conf**", line 519 add a "#" to beginning of line resulting in **"#include conf/extra/httpd-ssi.conf"**

**2) Using Notepad, Wordpad (or any text editor) navigate and open file : xampp\apache\conf\extra\httpd-xampp.conf**

Change line 73 **AuthRemotePort to 6060**

**Note: if SSL is required, you may have to change from Port 443. Search the above files and ".....http-ssl.conf" for occurrences of 443 and make the necessary changes.**

**To change default MySQL port:**

**1) Using Notepad, Wordpad (or any text editor) navigate and open file : xampp\mysql\bin\my.cnf**

Change line 20 **port= 6080** (or another desired port), line 31 **port= 6080**

**2) Using Notepad, Wordpad (or any text editor) navigate and open file : xampp\php\php.ini**

Change line 756 add: **mysql.default\_port=6080**

**3) Using Notepad, Wordpad (or any text editor) navigate and open file : xampp\phpMyAdmin\config.inc.php**

Change line 55 add: **\$cfg['Servers'][\$i]['port']='6080';**

**4) Using Notepad, Wordpad (or any text editor) navigate and open file : xampp\security\htdocs\securefunctions.php**

Change line 11 if **@mysql\_connect("localhost:6080,"root","\$currentpass")**

**5) Using Notepad, Wordpad (or any text editor) navigate and open file : xampp\security\htdocs\security.php**

Change line 69 if **(( \$handle = @fsockopen(\$host, 6080, \$errno, \$errstr, \$timeout)) == true)**

**6) Using Notepad, Wordpad (or any text editor) navigate and open file : xampp\security\htdocs\xamppsecurity.php**

Change line 24 if **(( \$handle = @fsockopen(\$host, 6080, \$errno, \$errstr, \$timeout)) == true)**

**7) Using Notepad, Wordpad (or any text editor) navigate and open file : xampp\security\htdocs\xampp\mysql.php**

Change line 2 if (@mysql\_connect("localhost:**6080**", "pma", ""))

XAMPP - From Wikipedia, the free encyclopedia

**XAMPP** is a [free, cross-platform web server](#), consisting mainly of the [Apache HTTP Server](#), [MySQL database](#), and [interpreters](#) for scripts written in the [PHP](#) and [Perl programming languages](#).

XAMPP really shines in the following areas:

- It is easy to install and set up.
- It contains a number of useful packages that make it easy to do things like generate traffic reports and accelerate PHP content.
- It has been thoroughly tested on the SUSE, Red Hat, Mandrake, and Debian Linux distributions, as well as on Windows® and Solaris.

The Xampp platform, developed by Apache Friends, is downloaded 500,000 per month. It is widely used and has become a standard within the open source community.